Josper®
CHARCOAL OVENS




*HJX45LBC

Horno Brasa HJX45LBC

- Obtener mucho más control sobre el calor.
- Ahorrar en carbón (amortización del horno en 1 año y medio)
- Mucha más rapidez que una barbacoa tradicional.
- Doble función de horno y parrilla.
- Reducir en gran medida las llamas
  (previniendo que se ahúmen o resequen los alimentos)


Más de 22.000 clientes y 43 años en el mercado es nuestra mejor garantía.



DATOS TÉCNICOS	
Tiempo de encendido*	35 min aprox.
Consumo de carbón Josper diario	12 a 16 kg. (media)
Autonomía por carga	9 horas
Producción por hora**	90 kg.(media)
Temperatura de cocción	250 ºC a 350 ºC
Potencia	4,5 kw
Capacidad de extracción***	3200 m3/hora
Caudal máximo de humo	10,5 g/seg.

INSTALACIÓN	
Distancias entre otros elementos de cocción	10 cm

BULTOS Y PESOS	
Bulto 1	73 x 100 x 87 cm
Bulto 2	73 x 100 x 84 cm
Peso bruto total	336 kg



* Consulte nuestro dossier de encendido y uso del horno
** Consulte nuestro recetario
*** Consulte nuestro dossier de consejos de instalación

ACCESORIOS INCLUIDOS

Registro salida de humos
Una parrilla de cocción
Rejillas de carbón
Pinza Josper
Cepillo de puas
Atizador
Registro inferior con su tirador
Cajon de cenizas

ACCESORIOS OPCIONALES

Segunda parrilla
Cortafuegos
Sombrero
Menaje
Ruedas

Un programa continuo de mejoras podría requerir que hiciéramos cambios en la especificaciones sin una previa notificación.
Revisado Abril de 2012.

Josper®
CHARCOAL OVENS
JOSPER S.A. Montpalau 1-3
08397 Pineda de Mar - Barcelona - SPAIN
T +34 93 767 15 16
josper@josper.es

JOSPER BY WOOD STONE

CHARCOAL BROILER OVEN • TRAY SUPPORT



Josper by Wood Stone 3728-TS Shown

Job Name	
Model	WS-CBO-(2728,3728,3738)-TS
Item#	
Fuel Type	**Charcoal-Fired**

AVAILABLE IN 3 SIZES:

- WS-CBO-2728-TS
- WS-CBO-3728-TS
- WS-CBO-3738-TS

JOSPER CAPACITY:

The Josper comes standard with (2) cooking grates. The upper grate is typically used for slower cooking items like roasted vegetables, fish and larger roasted meats. The lower grate is used for items requiring extremely intense heat - like steaks and seafood items.

OPTIONAL ACCESSORIES:

- Models Available without Tray Support
- Custom Door Finishes
- Tongs
- T-Style Floor Brush
- Ash Tool
- Dual Compartment Ash Dolly

The Josper by Wood Stone Charcoal Broiler Oven provides an elegant solid fuel charcoal broiler solution in an oven package - and without the venting capture challenges most often associated with conventional solid-fuel charbroilers.

The Josper by Wood Stone Charcoal Broiler Oven comes with two adjustable broiler racks that allow the chef to cook a wide variety of meats and vegetables in the unit simultaneously, making this versatile piece of equipment capable of very high production. This model also comes equipped with a tray support which can be used to rest and/or plate items.

By combining the features of an enclosed oven with the traditional characteristics of charbroiled cooking, this piece offers efficiency in utilizing the heat produced by charcoal. The dual damper system helps minimize charcoal consumption while allowing the unit to maintain high cooking temperatures for extended periods of time, and helps to greatly influence and enhance the flavor profile of the foods being cooked.

The Josper by Wood Stone Charcoal Broiler Oven sits on a heavy-duty stainless steel cabinet that incorporates an easily removable ash collection system. The unit also ships with an oven-mounted firebreak, poker, brush and grill tongs. Other accessories are available.

The unit is ETL Listed with an 18-inch side and 6-inch back clearance to combustible construction.

The Josper by Wood Stone Charcoal Broiler Oven must be vented with a Listed Type 1 exhaust hood or one constructed in accordance with all relevant local and national codes. The oven must be vented as a solid fuel appliance, and in accordance with all relevant local and national codes, and in a manner acceptable to the authority having jurisdiction. See installation manual for additional information.

Intertek

Intertek ANSI/NSF STD 4

An ongoing program of product improvement may require us to change specifications without notice.
Revised April 2012

WOOD STONE CORPORATION
1801 W. Bakerview Rd.
Bellingham, WA 98226 USA

Toll Free (800) 988-8103
Tel (360) 650-1111
Fax (360) 650-1166


info@woodstone-corp.com or visit woodstone-corp.com

JOSPER BY WOOD STONE


CHARCOAL BROILER OVEN • TRAY SUPPORT

Model
WS-CBO-#-TS


Front View



Side View



Plan View



Model	Height	Width	Depth
2728-TS	70 3/4”	27 1/4”	28 1/4”
3728-TS	70 3/4”	37 1/4”	28 1/4”
3738-TS	70 3/4”	37 1/4”	38 1/4”

WS-CBO-3728-TS MODEL SHOWN

VENTING INFORMATION

The WS-CBO-#-TS is a solid-fuel cooking appliance and must be vented using a Listed Type 1 exhaust hood, or one constructed in accordance with NFPA 96 and all relevant local and national codes. The oven must be vented as a solid fuel appliance in accordance with all relevant local and national codes, and in a manner acceptable to the authority having jurisdiction.

Unit Shipping Weights:

2728-TS	3728-TS	3738-TS
TBD	1100 lbs	1300 lbs

Intertek

Intertek
ANSI/NSF STD 4

Wood Stone

An ongoing program of product improvement may require us to change specifications without notice.
Revised April 2012

WOOD STONE CORPORATION
1801 W. Bakerview Rd.
Bellingham, WA 98226 USA

Toll Free (800) 988-8103
Tel (360) 650-1111
Fax (360) 650-1166

info@woodstone-corp.com or visit woodstone-corp.com